according to Regulation (EC) No 1907/2006

LuxaPrint Ortho Comfort TRA 385

Revision date: 17.05.2023 Product code: G000045 Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

LuxaPrint Ortho Comfort TRA 385

1.2. Relevant identified uses of the substance or mixture and uses advised against

Uses advised against

pregnant or breastfeeding people should not work with hazardous substances

1.3. Details of the supplier of the safety data sheet

Company name: DMG Digital Enterprises SE

Street: Elbgaustrasse 248
Place: D-22547 Hamburg

Telephone: +49 40 84006-0 Telefax: +49 40 84006-222

e-mail: info@dmg-digital.com

Contact person: A. Brunner

Internet: www.dmg-digital.com
Responsible Department: Quality Management

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317 STOT SE 3; H335 Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

Exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl methacrylate diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

Signal word: Warning

Pictograms:



Hazard statements

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
 H319 Causes serious eye irritation.
 H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P280 Wear protective gloves and eye/face protection.
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

according to Regulation (EC) No 1907/2006

LuxaPrint Ortho Comfort TRA 385

Revision date: 17.05.2023 Product code: G000045 Page 2 of 11

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312 Call a POISON CENTER/doctor if you feel unwell.

P501 Dispose of contents/container to an appropriate recycling or disposal facility.

Special labelling of certain mixtures

30 - < 35 % of the mixture consists of ingredient(s) of unknown acute toxicity (dermal). 30 - < 35 % of the mixture consists of ingredient(s) of unknown acute toxicity (inhalation). Contains 30 - < 35 % of components with unknown hazards to the aquatic environment.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name					
	EC No	Index No	REACH No			
	Classification (Regulation (EC) No	1272/2008)				
7534-94-3	Exo-1,7,7-trimethylbicyclo[2.2.1]hep	ot-2-yl methacrylate		30 - < 35 %		
	231-403-1		01-2119886505-27			
	Skin Irrit. 2, Eye Irrit. 2, STOT SE 3, Aquatic Chronic 3; H315 H319 H335 H412					
41637-38-1	ethoxylated bisphenol A dimethacrylate					
	609-946-4		01-2119980659-17			
	Aquatic Chronic 4; H413					
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)pho	osphine oxide		1 - < 5 %		
	278-355-8	015-203-00-X	01-2119972295-29			
	Repr. 2, Skin Sens. 1B, Aquatic Ch	ronic 2; H361f H317 H411				

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

opecine coi	ic. Ellillics, IVI-IC	ictors and ATE	
CAS No	EC No	Chemical name	Quantity
	Specific Cond	. Limits, M-factors and ATE	
7534-94-3	231-403-1	Exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl methacrylate	30 - < 35 %
	dermal: LD50) = >3000 mg/kg; oral: LD50 = 3100 mg/kg	
41637-38-1	609-946-4	ethoxylated bisphenol A dimethacrylate	1 - < 5 %
	dermal: LD50) = >2000 mg/kg; oral: LD50 = >2000 mg/kg	
75980-60-8	278-355-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	1 - < 5 %
	dermal: LD50) = > 2000 mg/kg; oral: LD50 = > 5000 mg/kg	

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Medical treatment necessary.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

After ingestion

Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

according to Regulation (EC) No 1907/2006

LuxaPrint Ortho Comfort TRA 385

Revision date: 17.05.2023 Product code: G000045 Page 3 of 11

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water fog. Extinguishing powder. Sand. Foam. Carbon dioxide (CO2).

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Non-flammable.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Keep container tightly closed. Wear suitable protective clothing and gloves. Avoid contact with eyes.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink or smoke.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Hints on joint storage

No special measures are necessary.

according to Regulation (EC) No 1907/2006

LuxaPrint Ortho Comfort TRA 385

Revision date: 17.05.2023 Product code: G000045 Page 4 of 11

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
128-37-0	2,6-Ditertiary-butyl-para-cresol	-	2		TWA (8 h)	
79-41-4	Methacrylic acid	20	70		TWA (8 h)	
		40	140		STEL (15 min)	

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
7534-94-3	Exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl methacrylate			
Worker DNEL,	long-term	dermal	systemic	1,04 mg/kg bw/day
41637-38-1	ethoxylated bisphenol A dimethacrylate			
Worker DNEL,	long-term	inhalation	systemic	3,52 mg/m³
Worker DNEL,	long-term	dermal	systemic	2 mg/kg bw/day
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide			
Worker DNEL,	long-term	inhalation	systemic	3,5 mg/m³
Worker DNEL,	long-term	dermal	systemic	1 mg/kg bw/day
128-37-0	2,6-Di-tert-butyl-4-methylphenol			
Worker DNEL,	long-term	inhalation	systemic	3,5 mg/m³
Worker DNEL,	long-term	dermal	systemic	0,5 mg/kg bw/day
79-41-4	methacrylic acid; 2-methylpropenoic acid			
Worker DNEL,	long-term	dermal	systemic	4,25 mg/kg bw/day
Worker DNEL,	long-term	inhalation	systemic	29,6 mg/m³

IRL - en Print date: 09.04.2024

according to Regulation (EC) No 1907/2006

LuxaPrint Ortho Comfort TRA 385

Revision date: 17.05.2023 Product code: G000045 Page 5 of 11

PNEC values

CAS No	Substance	
Environment	al compartment	Value
7534-94-3	Exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl methacrylate	
Freshwater		0,00466 mg/l
Freshwater (i	intermittent releases)	0,0179 mg/l
Marine water	r	0,000466 mg/l
Freshwater s	sediment	0,604 mg/kg
Marine sedim	nent	0,06 mg/kg
Micro-organis	sms in sewage treatment plants (STP)	2,45 mg/l
Soil		0,118 mg/kg
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	
Freshwater		0,004 mg/l
Freshwater (i	intermittent releases)	0,035 mg/l
Marine water	r	0 mg/l
Freshwater s	sediment	0,29 mg/l
Marine sedim	nent	0,029 mg/l
Soil		0,056 mg/kg
128-37-0	2,6-Di-tert-butyl-4-methylphenol	
Freshwater		0,000199 mg/l
Freshwater (i	intermittent releases)	0,00199 mg/l
Marine water	r	0,000199 mg/l
Freshwater s	sediment	0,0996 mg/kg
Marine sedim	nent	0,00996 mg/kg
Soil		0,04769 mg/kg
79-41-4	methacrylic acid; 2-methylpropenoic acid	
Freshwater		0,82 mg/l
Freshwater (i	intermittent releases)	0,82 mg/l
Marine water	r	0,82 mg/l
Micro-organis	sms in sewage treatment plants (STP)	10 mg/l
Soil		1,2 mg/kg

8.2. Exposure controls



Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

according to Regulation (EC) No 1907/2006

LuxaPrint Ortho Comfort TRA 385

Revision date: 17.05.2023 Product code: G000045 Page 6 of 11

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: transparent
Odour: characteristic

Melting point/freezing point:

Boiling point or initial boiling point and

not determined
not determined

boiling range:

Flammability: not determined Lower explosion limits: not determined Upper explosion limits: not determined >100 °C Flash point: Auto-ignition temperature: not determined Decomposition temperature: not determined not determined pH-Value: not determined Water solubility:

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Vapour pressure:

Density:

not determined

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

The product is not: Explosive.

Sustaining combustion: Not sustaining combustion

Oxidizing properties

The product is not: oxidising.

Other safety characteristics

Evaporation rate: not determined Solid content: not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

none

10.5. Incompatible materials

No information available.

according to Regulation (EC) No 1907/2006

LuxaPrint Ortho Comfort TRA 385

Revision date: 17.05.2023 Product code: G000045 Page 7 of 11

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
7534-94-3	Exo-1,7,7-trimethylbicyclo	[2.2.1]hept-2-yl me	thacry	ylate		
	oral	LD50 3100 mg/kg		Rat	supplier SDS	
	dermal	LD50 >3000 mg/kg	0	Rabbit	supplier SDS/ ECHA	
41637-38-1	ethoxylated bisphenol A dimethacrylate					
	oral	LD50 >2000 mg/kg)	Rat	ECHA	OECD 423
	dermal	LD50 >2000 mg/kg	0	Rat	ECHA	OECD 402
75980-60-8	diphenyl(2,4,6-trimethylbe	enzoyl)phosphine o	xide			
	oral	LD50 > 500 mg/kg	0	Rat	supplier SDS	
	dermal	LD50 > 200 mg/kg	0	Rat	supplier SDS	

Irritation and corrosivity

Causes skin irritation.

Causes serious eye irritation.

Sensitising effects

May cause an allergic skin reaction. (diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide)

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

May cause respiratory irritation. (Exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl methacrylate)

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Further information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic life with long lasting effects.

according to Regulation (EC) No 1907/2006

LuxaPrint Ortho Comfort TRA 385

Revision date: 17.05.2023 Product code: G000045 Page 8 of 11

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method	
7534-94-3	Exo-1,7,7-trimethylbicyc	lo[2.2.1]hept-	2-yl methacr	ylate				
	Acute fish toxicity	LC50 mg/l	1,79	96 h	Danio rerio (zebrafish)	supplier SDS	OECD 203	
	Acute algae toxicity	ErC50 mg/l	2,28	72 h	Pseudokirchneriella subcapitata	supplier SDS	OECD 201	
	Acute crustacea toxicity	EC50 mg/l	>2,57	48 h	Daphnia magna (Big water flea)	ECHA	OECD 202	
	Crustacea toxicity	NOEC mg/l	0,233	21 d	Daphnia magna (Big water flea)	supplier SDS	OECD 211	
41637-38-1	ethoxylated bisphenol A	dimethacryla	ite					
	Acute fish toxicity	LC50 mg/l	> 100	96 h	Danio rerio (zebrafish)	supplier SDS		
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Pseudokirchneriella subcapitata	supplier SDS		
	Acute crustacea toxicity	EC50 mg/l	> 100	48 h	Daphnia magna (Big water flea)	supplier SDS		
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide							
	Acute fish toxicity	LC50 mg/l	6,53	96 h	Oryzias latipes (Ricefish)	supplier SDS		
	Acute algae toxicity	ErC50 mg/l	> 2,01	72 h	Scenedesmus subspicatus	supplier SDS		
	Acute crustacea toxicity	EC50 mg/l	3,53	48 h	Daphnia magna (Big water flea)	supplier SDS		
	Acute bacteria toxicity	(EC50 mg/l)	> 1000	3 h	Activated sludge	supplier SDS		

12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation	-		
7534-94-3	Exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl methacrylate			
	OECD 310	70%	28	
	Readily biodegradable (according to OECD criteria).			
41637-38-1	ethoxylated bisphenol A dimethacrylate			
	OECD 301D	24%	28	
	Not readily biodegradable (according to OECD criteria)			
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide			
	OECD 301 F	0-10%	28	
	Not readily biodegradable (according to OECD criteria)			

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
7534-94-3	Exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl methacrylate	5,09
41637-38-1	ethoxylated bisphenol A dimethacrylate	5,62
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	3,1

according to Regulation (EC) No 1907/2006

Revision date: 17.05.2023 LuxaPrint Ortho Comfort TRA 385 Product code: G000045 Page 9 of 11

BCF

CAS No	Chemical name	BCF	Species	Source
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosph ine oxide	18-72		

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

The product has not been tested.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Dispose of contents/container to an appropriate recycling or disposal facility.

List of Wastes Code - residues/unused products

180106 WASTES FROM HUMAN OR ANIMAL HEALTH CARE AND/OR RELATED RESEARCH

(EXCEPT KITCHEN AND RESTAURANT WASTES NOT ARISING FROM IMMEDIATE HEALTH

CARE); wastes from natal care, diagnosis, treatment or prevention of disease in humans;

chemicals consisting of or containing hazardous substances; hazardous waste

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

according to Regulation (EC) No 1907/2006

LuxaPrint Ortho Comfort TRA 385

Revision date: 17.05.2023 Product code: G000045 Page 10 of 11

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 75

Information according to 2012/18/EU

(SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the

'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

Skin resorption/Sensitization: Causes allergic hypersensitivity reactions.

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LC50: Lethal concentration, 50%

LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container

SVHC: Substance of Very High Concern

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Skin Irrit. 2; H315	Calculation method
Eye Irrit. 2; H319	Calculation method
Skin Sens. 1; H317	Calculation method
STOT SE 3; H335	Calculation method
Aquatic Chronic 3; H412	Calculation method

according to Regulation (EC) No 1907/2006

LuxaPrint Ortho Comfort TRA 385

Revision date: 17.05.2023 Product code: G000045 Page 11 of 11

Relevant H and EUH statements (number and full text)

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H361f	Suspected of damaging fertility.
H411	Toxic to aquatic life with long lasting eff
11440	in the contract of the contrac

H411 Toxic to aquatic life with long lasting effects.
 H412 Harmful to aquatic life with long lasting effects.
 H413 May cause long lasting harmful effects to aquatic life.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

IRL - en Print date: 09.04.2024